ELSEVIER

Nuclear Engineering and Design 158 (1995) 437–439

Nuclear Engineering and Design

Contents of Volume 158

CONTENTS OF ISSUE 158(1)

Engineering Mechanics

Hydrodynamic instabilities in flat-plate-type fuel assemblies, *G. Kim and D.C. Davis* 1
A real-time monitoring system of core support barrel vibration using FEM data and self-organizing neural networks, *H.G. Kang and P.H. Seong* 19

Materials Engineering

Simplified method for evaluating the seismic buckling capacity of unstiffened steel containment structures, *C.R. Farrar, T.A. Duffey and D.H. Renick* 31
3-D thermoelastic analysis of the straight section of a PWR hot leg containing a hot spot using BEM, *R.S. Bains and J. Sugimoto* 47

Reactor Engineering

Operating temperatures for an FBR, *S.B. Bhoje and P. Chellapandi* 61
Static and stability analysis of the inner vessel of a fast breeder reactor, *A. Bagchi and V. Paramasivam* 81
Structural analysis of a first wall component: results of benchmark calculations, *E. Diegele, R. Jakeman, A. Klischenko, R. Matera, M. Merola, D. Munz and S. Suzuki* 95

Thermal-Hydraulics, Safety and Risk Analysis

Experimental simulation study on start-up of the 5 MW nuclear heating reactor, *S.Y. Jiang, M.S. Yao, J.H. Bo and S.R. Wu* 111

On the transport mechanisms in simulated heterogeneous rod bundle subchannels, *X. Wu* 125
Response of the ISER for a beyond-design-basis hypothetical accident, *H. Wakabayashi* 135

Technical Engineering Notes

Positron affinity for precipitates in reactor pressure vessel steels, *G. Brauer, M.J. Puska, M. Sob and T. Korhonen* 149
A phenomenological explanation of the relationship between steady state and transient CHF at subcooled or low quality conditions, *J. Weisman* 157
Instructions to Contributors 161

CONTENTS OF ISSUES 158(2–3)

Extended and Updated Selected Papers from SMiRT-12, Division G

Guest Editor: G. Yagawa

Preface ix

Effects of clad yielding and warm prestress on fracture-margin assessment of pressurized water reactor pressure vessels, *D.K.M. Shum* 167
Precracked pipe under waterhammer action, *S. Brosi, M. Niffenegger, R. Rösel, E. Kobes and D. Schrammel* 177
Exclusion of rupture for welded piping systems of power stations by component tests and failure approaches, *P. Julisch, D. Sturm and J. Wiedemann* 191
Tests on large scale LMFR piping. Part I: crack resistance properties of through-cracked straight 700 mm nominal diameter pipes tested under bending at ambient temperature and 550 °C, *W. Setz, K. Förster, S. Bhandari, J.-P. Debaene and C. Faidy* 203
Crack initiation and arrest in a pressurized thermal shock test for a model pressure vessel made of VVER-440 reactor pressure vessel steel, *H. Keinänen, H. Talja, R. Rintamaa, K. Törrönen, R. Ahlstrand, P. Nurkkala, G. Karzov, B. Timofeev and A. Blumin* 217
Extension of fracture mechanics evaluation methods by consideration of multiaxiality of stress state for piping components, *X. Schuler, D. Blind, U. Eisele and K.-H. Herter* 227
Fracture properties evaluation of carbon steel piping for main steam line, *Y.J. Kim, C.S. Seok, Y.S. Chang, J.O. Kim, K.M. Yang and I.S. Ra* 241
Crack growth determination on laboratory components, *R.C. Hurst and S. McAllister* 253
Surface cracks in toroidal shells, *P.F. Joseph, R.D. Cordes, F. Erdogan* 263
Fracture mechanics analysis for inhomogeneous material behaviour, *L. Stumpfrock, D. Kraemer and U. Eisele* 277
An arbitrary Lagrangian description of 2D and 3D cracked structures, *G. Debruyne* 285
An incremental formulation of the moving-grid finite element method for the prediction of dynamic crack propagation, *H.M. Koh, H.S. Lee and U.Y. Jeong* 295
Analysis of stable crack growth of a semi-elliptical surface crack by numerical simulation, *Gh. Moussavi Zadeh* 311
A cohesive plastic/damage-zone for ductile crack analysis, *Ch. Zhang, D. Gross* 319
Reliability of an HTR-module primary circuit pressure boundary. Influences, sensitivity, and comparison with a PWR, *M. Staat* 333
Life extension simulation of aged reactor pressure vessel material using probabilistic fracture mechanics analysis on a massively parallel computer, *S. Yoshimura, M.-Y. Zhang, G. Yagawa* 341
Normative issues in thermal fatigue design of nuclear components, *M. Merola* 351
Infrared thermographic scanning of fatigue in metals, *M.P. Luong* 363
Predictions of non-steady asymptotic crack tip fields in power law creeping materials, *D. Linkens, E.P. Busso and D.W. Dean* 377
Fracture mechanics in creep situation. Interpretation of results on a test specimen, *H. Deschanels and A. Turbat* 387

The use of fracture mechanics methodologies for NDT results evaluation and comparison, *S. Reale, L. Tognarelli and S. Crutzen* 397
A study of risk-based non-destructive in-service inspection, *W.-F. Wu and J.-J. Syau* 409
Stress identification in steam generator tubes from profile measurements, *S. Andrieux, F. Voldoire* 417
Fracture mechanics analyses including constraint investigations on reactor pressure vessels under pressurized thermal shock loading, *J. Sievers and X. Liu* 429

Contents of Volume 158 437
Author Index of Volume 158 441
Subject Index of Volume 158 445
Instructions to Contributors 447